

TABLE 6: Percent resistance for *Salmonella* isolated from slaughter samples

Antimicrobic	SPECIES			
	Cattle n=1610	Swine N=876	Chicken n=1438	Turkey N=713
Amikacin	0.0	0.1	0.0	0.0
Amoxicillin/Clavulanic Acid	3.9	1.0	4.9	4.3
Ampicillin	12.5	10.8	12.4	17.7
Apramycin	0.2	1.8	0.1	0.6
Ceftiofur	4.2	1.9	5.2	4.6
Ceftriaxone	0.1	0.0	0.0	0.8
Cephalothin	4.7	0.8	5.8	10.5
Chloramphenicol	8.5	8.0	1.8	4.1
Ciprofloxacin	0.0	0.0	0.0	0.0
Gentamicin	1.6	1.1	10.4	17.5
Kanamycin	7.1	6.7	1.2	21.5
Nalidixic Acid	0.1	0.0	0.2	5.3
Streptomycin	15.4	29.3	27.5	43.6
Sulfamethoxazole	15.0	30.7	15.9	36.0
Tetracycline	20.9	48.4	25.0	52.9
Florfenicol	ND	ND	ND	ND
Trimethoprim/ Sulfamethoxazole	2.4	1.1	1.1	4.2